Commander, Eighth Coast Guard District (oan) Hale Boggs Federal Building, Room 1230

501 Magazine Street, New Orleans, LA 70130-3396

Telephone: (504) 589-6277

(Business Hours 7:00 a.m. - 3:30 p.m. Monday - Friday)

(Nights, Weekends, Holidays) - (504) 589-6225



8TH DISTRICT LOCAL NOTICE TO MARINERS MISSISSIPPI RIVER SYSTEM WEEKLY SUPPLEMENT

Western Rivers LIGHT LIST VOLUME V NOTICE NUMBER 16-00 April 18, 2000

The Local Notice to Mariners consists of a Monthly Edition and Weekly Supplements. The Monthly Edition is published the first week of each month, and Weekly Supplemental Editions are published in the intervening weeks. Weekly Supplemental Editions contain only new information; however, ongoing events/conditions published in Weekly Supplements are re-advertised in the following Monthly Edition. Chart and light list corrections printed in the Weekly Supplemental Editions are not repeated in Monthly Editions.

The Current Monthly Edition is Notice Number 14-00.

LIGHT LIST REFERENCE: COMDTPUB P16502.4, Vol. V, 1998 Edition.

CONTENTS: Rivers are listed in alphabetical order and are not listed when there is nothing to report.

NIS WATCHSTANDER PHONE	(703) 313-5900 24 HOURS A DAY
INTERNET ADDRESSES	HTTP://www.navcen.uscg.mil OR FTP://ftp.navcen.uscg.mil
ZERO NOTICE INTERNET ADDRESS	HTTP://www.navcen.uscg.mil/lnm/d8mrs
WESTERN RIVERS LNM VIA INTERNET	www.navcen.uscg.mil/lnm/d8wr/default.htm_OR
	FTP://ftp.navcen.uscq.mil/lnm/d8wr/default.htm

BROADCAST NOTICE TO MARINERS COVERED IN THIS EDITION								
ORIGINATING UNITS	BEGINNING BNMS		ENDING BNMS					
GROUP UPPER MISSISSIPPI RIVER	0152-00 (UM)	THROUGH	0000-00 (UM)					
GROUP LOWER MISSISSIPPI RIVER	0254-00 (LM)		0000-00 (LM)					
GROUP OHIO VALLEY	0224-00 (OV)		0000-00 (OV)					

SPECIAL NOTICES

HARTSVILLE,
Off air time has been approved for Hartsville, Tennessee, National Digital Global Positioning System (NDGPS) site for scheduled preventive maintenance and repairs
TENNESSEE - NDGPS from 1400Z to 1800Z on May 3, 2000.
(16-00)

DISCREPANCIES AND DISCREPANCIES CORRECTED

To report (Federal and Private) Aids to Navigation Discrepancies, contact the nearest Coast Guard Group Office. The following listing is for the 24-hour watch stander that is available to take your call:

Coast Guard Group Upper Mississippi River
Coast Guard Group Lower Mississippi River

(319) 524-7627 Extension 4 (901) 544-3912 Extension 122

1-800-253-7465

oast Guard Group Office Valley									
FEDERAL AID DISCREPANCIES	LLNR	MILE	BANK	AID NAME	DISCREPANCY STATUS	LNM/BNM			
NONE									
FEDERAL AID DISCREPANCIES CORRECTED	LLNR	MILE	BANK	AID NAME	DISCREPANCY STATUS	LNM/BNM			
ARKANSAS RIVER	01205.00	332.6	L/B	GANS LIGHT	RELIGHTED	14-00/0239LM			
	01510.00	253.8	R/B	MOORES CREEK LIGHT	WATCHING PROPERLY	14-00/0240LM			
TEMPORARY CHANGES	LLNR	MILE	BANK	AID NAME	DISCREPANCY STATUS	LNM/BNM			
NONE									
TEMPORARY CHANGES CORRECTED	LLNR	MILE	BANK	AID NAME	DISCREPANCY STATUS	LNM/BNM			
NONE									
PRIVATE AID DISCREPANCIES	LLNR	MILE	BANK	AID NAME	DISCREPANCY STATUS	LNM/BNM			
ALLEGHENY RIVER	00440.00	12.0	L/B	HUNT'S MARINA LIGHT	MISSING	16-00/0209OV			
	00465.00	10.2	R/B	R. J. BROWN LIGHT	MISSING	16-00/0211OV			
KANAWHA RIVER	08640.00	42.8	R/B	PAR INDUSTRIES CORP. DOCK LIGHTS (2)	MISSING	16-00/0175OV			

DISCREPANCIES AND DISCREPANCIES CORRECTED (Cont.)									
PRIVATE AID DISCREPANCIES CORRECTED	LLNR	MILE	BANK	AID NAME	DISCREPANCY STATUS	LNM/BNM			
KANAWHA RIVER	08215.00	81.5	R/B	MONTGOMERY IRON AND DOCK LIGHTS (2)	REBUILT/REMAINS	14-00/0165OV			
MISSOURI RIVER	19570.00	368.2	R/B	WILLIAMS DOCK LIGHTS (2)	RELIGHTED	33-99/0354OV			
OHIO RIVER	26120.00	479.5	R/B	RIVER TRANSPORTATION CO LIGHT	REBUILT/RECOVERED	11-00/0102OV			
	24595.00	242.5	L/B	APPALACHIAN POWER CO LIGHTS (2)	REBUILT/REMAINS	14-00/0187OV			

ADVANCED NOTICE OF CHANGES IN AIDS TO NAVIGATION										
Changes will be made between April 15 and May 15, 2000.	hanges will be made between April 15 and May 15, 2000.									
	LLNR	MILE	BANK	NAME	PROPOSED CHANGE					
ST. CROIX RIVER	N/A	4.0	R/B	Green Buoy	Discontinue					
	N/A	5.0	L/B	Red Buoy	Discontinue					
	29882	5.0	R/B	Green Daybeacon	Establish (SG u/s and d/s)					
	N/A	6.0	L/B	Red Buoy	Relocate south to better align traffic					
	N/A	6.2	L/B	Red Buoy	Discontinue					
	N/A	9.3	R/B	Green Buoy	Relocate to mark shoal					
	N/A	11.5	R/B	Green Buoys	Upgrade 4 buoy hulls to foam					
	29869	12.7	R/B	Green Daybeacon	Establish (SG u/s and d/s)					
	N/A	15.5	R/B	Green Buoy	Relocate to mark shoal					
	N/A	16.8	R/B	Green Buoy	Discontinue					
	29868	16.8	R/B	Green Daybeacon	Establish (SG u/s and d/s)					
	N/A	18.1	R/B	Green Buoy	Discontinue					
	29867	18.3	R/B	Green Light	Establish (FL G 4s, SG u/s and d/s)					
	29866	20.0	R/B	Green Daybeacon	Establish (SG u/s and d/s)					
	N/A	20.2	R/B	Green Buoy	Discontinue					
	N/A	20.7	R/B	Green Buoy	Discontinue					
	N/A	21.4	R/B	Green Buoy	Discontinue					
	N/A	22.2	R/B	Green Buoy	Discontinue					
	N/A	22.7	L/B	Red Buoy	Establish					
Changes will be made between April 3 and April 29, 2000.					<u>.</u>					
	LLNR	MILE	BANK	NAME	PROPOSED CHANGE					
RED RIVER	29703	20.4	L/B	Hog Pen Lake Upper Daybeacon	Establish (CR u/s and TR d/s)					
	29705	19.9	L/B	Hog Pen Lake Daybeacon	Change u/s dayboard from CR to TR					

		GENERAL INFORMATION
ALLEGHENY RIVER	MILE 1.3 SIXTEENTH STREET BRIDGE	The underside of the bridge spans will be inspected using a "snooper truck". Inspections will be performed Monday through Friday, between 9 a.m. and 3 p.m. until approximately May 8, 2000. A small boat will be on site for worker safety. (16-00/OB)
ARKANSAS RIVER		The COE Little Rock, Arkansas, advises that the flow on the Arkansas River at Murray L/D has dropped below 70,000 CFS. Mariners are advised that the regulated navigation area at Little Rock Arkansas is no longer in effect. (16-00/0237LM)
CLINCH RIVER	REGATTA	A rowing event will take place between Mile 49.8 to Mile 50.8, from 9:00 a.m. until 5:00 p.m., April 29, 2000. During this event mariners may experience delays. Patrol boats will be positioned at each end of the course to direct traffic. Mariners are urged to transit the area with extreme caution. (16-00/COE)
GREEN RIVER	BRIDGE	The bridge is scheduled for demolition on April 26, 2000. The navigation channel will be blocked for debris removal for approximately 24 hours. (16-00/OB)
ILLINOIS RIVER		Peoria L/D, Mile 158.0 will be closed April 25, 2000, from 12:30 p.m. until 2:30 p.m., for the purpose of christening the M/V CREVE COEUR. Mariners are urged not to tie up to the guidewall during this closure period. For lockage instructions, mariners can contact the Peoria L/D on VHF-FM Channel 14 or (309) 699-6111. (16-00/COE)
	MILE 61.4 NORFOLK AND WESTERN RAILROAD DRAWBRIDGE	A 20 to 25-foot section of the downstream, right descending sheer fence has been removed due to damage. Section was located immediately downstream of right descending pier.
	MILE 21.6	(16-00/OB) The bridge is rigged with scaffolding for a scheduled inspection. The draw span is operational and provides a vertical clearance of 74.8 feet above normal pool in the open-to-navigation position. (16-00/OB)
UPPER MISSISSIPPI RIVER	MILE 752.8 CHANNEL CONDITION	Conditions previously reported at L/D 4, Mile 752.8 no longer exist. (16-00/OB)
	SAVANNA BRIDGE	A scaffold has been installed in the navigation channel that reduces the horizontal clearance by 28 feet and the vertical clearance by 5 feet. Vertical clearance is reduced to 59.6 feet above normal pool elevation. The scaffold may be moved if necessary for safe transit. Mariners should exercise caution when transiting the area. (16-00/OB)
		Due to construction near Mile 309.5, mariners are urged to transit the vicinity with extreme caution and slow speed. Construction operations on the Hannibal Raw Water Intake will begin on April 24, 2000, and will be completed by approximately June 19, 2000. Construction will be performed from Monday through Friday, from 7:00 a.m. until 5:00 p.m. The M/V NEBRASKA can be reached on VHF-FM Channels 13 or 16 for further information. (16-00/0157UM)
	MILE 90.4 TO 90.2 CHANNEL CONDITION	The shoaling previously reported between Mile 90.2 and 90.4 has been marked with 4 can buoys set in 9 feet of water with the Hermann Gauge at 6.3 on April 17, 2000. The channel width has been restricted to approximately 40 yards. (16-00/0162UM)

MISSOURI RIVER	MILE 594.4 TO 595.0 CHANNEL CONDITION	A standout has been reported at the mouth of the Platte River between Mile 594.4 to Mile 595.0. It has been marked with 4 nuns and 5 cans with a channel width of approximately 90 yards. The minimum depth is 9 feet along the can buoy line and 9 feet along the lower
	0	nun buoy line with the Omaha Gauge reading at 16.3 feet. Mariners are urged to favor the left descending bank and transit the area with
		extreme caution. (16-00/0154UM)
	MILE 372.6	Repairs and painting of this bridge will be performed Monday through Saturday from 7:00 a.m. until 6:00 p.m. until approximately June
	FAIRFAX HIGHWAY	15, 2000. A jon boat will be on scene. There should be no obstruction to traffic.
	BRIDGE	(16-00/OB)
	MILE 293.4	Boring samples will be taken at the replacement bridge pier sites located along the left descending side of the navigational channel
	WAVERLY BRIDGE	approximately 950 feet downstream the existing bridge. The work will begin April 21, 2000, 24 hours a day and will continue for
		approximately 12 days. The M/V LOLA P will be on site and monitoring VHF-FM Channel 16.
		(16-00/OB)
MUSKINGUM RIVER	MILE 0.3	The bridge is scheduled for demolition on April 27, 2000. The navigation channel will be blocked for debris removal for approximately 24
	PUTNAM STEET BRIDGE	hours. (16-00/OB)
OHIO RIVER	MILE 531.5	The Markland L/D, Mile 531.5, 600-foot axuiliary lock chamber, will be closed until approximately May 26, 2000. A repair crew will be
011101111211	MARKLAND LOCK AND	performing maintenance on the filling and emptying valves. All traffic will be allowed to pass through the 1200-foot main lock chamber
	DAM	during the closure. (16-00/COE)
	MILE 606.8 TO 593.0	The Vessel Traffic System (VTS) Louisville, Kentucky has been deactivated.
	CHANNEL CONDITION	(16-00/COE)
	MILE 601.0	A 37-foot pleasure craft has reportedly sunk on the Kentucky side of the Ohio River. The wreck is tied off and has been reported
	SUNKEN VESSEL	extending approximately 20 yards into the channel, however the channel is not blocked. There is also a report of two wrecks possibly
		sunk between Mile 602.0 and the Mcalpine L/D Mile 606.8. Mariners are urged to use extreme caution in these areas. (16-00/02510V)
TENNESSEE RIVER	MILE 463.7	Construction work has started to widen the bridge deck. The contractor will monitor VHF-FM Channels 13 and 16 to provide approaching
. Z.II. ZOOZE KIVEK	OLGIATI HIGHWAY	vessels updates of work over the channel.
	BRIDGE	(16-00/OB)

	CORRECTIONS TO LIGHT LIST, VOLUME V; MISSISSIPPI RIVER SYSTEM, 1998 EDITION. (* Denotes the column in which a correction has been made or new information added.)									
(1) <u>No.</u>	(2) Name and Location	(3) <u>Mile</u>	(4) <u>Bank</u>	(5) <u>Characteristic</u>		(6) e/Daymark Down	(7) <u>Remarks</u>	LNM		
885	VERDIGRIS RIVER LIGHT	395.0	Right	FI G 4s	NG *	NG *		(16-00)		
895	PRAIRIE LIGHT	394.5	Left	FI (2) R 5s	NR *	NR *		(16-00)		
900	NEOSHO RIVER LIGHT	394.1	Left	FI (2) R 5s	NR *	NR *		(16-00)		
930	RIVERSIDE LIGHT	391.6	Right	FI G 4s	NG *	NG *		(16-00)		
940	COODY CREEK LIGHT	389.5	Right	FI G 4s	SG	NG *		(16-00)		
950	BEVERLY LIGHT	386.0	Left	FI (2) R 5s	NR *	TR		(16-00)		
970	SALT CREEK LIGHT	379.9	Left	FI (2) R 5s	CR	NR *		(16-00)		
975	BRUSHY MOUNTAIN LIGHT	378.4	Right	FI G 4s	NG *	SG		(16-00)		
990	MILLIGAN BEND LIGHT	373.1	Right	FI G 4s	SG	NG *		(16-00)		
995	PADGETT BEND LIGHT	371.2	Left	FI (2) R 5s	NR *	TR		(16-00)		
1005	GREENLEAF CREEK LIGHT	369.7	Left	FI (2) R 5s	TR	NR *		(16-00)		
1025	TAYLOR CREEK LIGHT	364.3	Left	FI (2) R 5s	NR *	NR *		(16-00)		
1035	ILLINOIS RIVER LIGHT	361.7	Right	FI G 4s	NG *	NG *		(16-00)		

	CORRECTIONS TO LIGHT LIST, VOLUME V; MISSISSIPPI RIVER SYSTEM, 1998 EDITION. (Cont.) (* Denotes the column in which a correction has been made or new information added.)								
(1) <u>No.</u>	(2) Name and Location	(3) <u>Mile</u>	(4) Bank	(5) <u>Characteristic</u>	(6 <u>)</u> Structure/ <u>Up</u>)	(7) <u>Remarks</u>	LNM	
1040	CAMPBELL LIGHT	359.8	Left	FI (2) R 5s	NR *	NR *		(16-00)	
1045	DIRTY CREEK LIGHT	358.4	Right	FI G 4s	NG *	SG		(16-00)	
1055	HISAW BOTTOM LIGHT	356.5	Right	FI G 4s	CG	NG *		(16-00)	
1060	CANADIAN RIVER LIGHT	355.1	Left	FI (2) R 5s	NR *	TR		(16-00)	
1065	STONY POINT LIGHT	354.5	Left	FI (2) R 5s	TR	NR *		(16-00)	
1070	BRIER CREEK LIGHT	353.1	Right	FI G 4s	SG *	NG		(16-00)	
1075	TAMAHA LIGHT	351.3	Left	FI G 4s	SG	NG *		(16-00)	
1077	SANDTOWN BOTTOM LIGHT	349.2	Left	FI (2) R 4s	NR On piling.	NR		(10 00)	
1070	SAYLOR BOTTOM LIGHT	347.5	Diaht	FI G 4s	NG	* NG		(16-00)	
1078	SAYLOR BUTTOM LIGHT	347.5	Right	FI G 4S	On piling.	NG *		(16-00)	
1080	VIAN CREEK LIGHT	346.0	Left	FI (2) R 5s	NR *	TR		(16-00)	
1205	GANS LIGHT	332.6	Left	FI (2) R 5s	TR	NR *		(16-00)	
1210	LONE STAR LIGHT	331.2	Right	FI G 4s	NG *	NG *		(16-00)	
1215	SEQUOYAH COUNTY LIGHT	330.1	Left	FI (2) R 5s	NR *	TR		(16-00)	
1220	ONION CREEK LIGHT	329.2	Left	FI (2) R 5s	TR	NR *		(16-00)	
8390	DRAVO CORPORATION DOCK						Remove from list.	(16/00)	
16570	MOBIL PIER LIGHT						Remove from list.	(16/00)	
23310	RIVER MIST MARINA LIGHT	58.1	Right	FI G 6s			Private aid. Seasonal aid.		
24840	BARRICK GOLD						* Remove from list.	(16/00)	
24910	MONTI JENKINS DOCK						* Remove from list.	(16/00)	
25770	BOATING CENTER DOCK						* Remove from list.	(16/00)	
_0.70	122						*	(16/00)	

	CORRECTIONS TO LIGHT LIST, VOLUME V; MISSISSIPPI RIVER SYSTEM, 1998 EDITION. (Cont.) (* Denotes the column in which a correction has been made or new information added.)							
(1) <u>No.</u>	(2) Name and Location	(3) <u>Mile</u>	(4) <u>Bank</u>	(5) <u>Characteristic</u>	(6 <u>)</u> <u>Structure/</u> <u>Up</u>		(7) <u>Remarks</u>	<u>LNM</u>
29703	Hog Pen Lake Upper Daybeacon	20.4	Left *	*	CR *	TR *		(16-00)
29705	Hog Pen Lake Daybeacon	19.9	Left		TR *	CR		(16-00)
29920	GREEN CAMPGROUND LIGHT						Remove from list.	(16/00)
31190	WALKERS LANDING						Remove from list.	(16/00)

ENCLOSURES	
NONE	